


AMENDMENTS TO THE CLAIMS

1. (Original) A compound according to formula I



wherein

X_3 and X_4 are selected from N and C, such that when X_3 is N, X_4 is C and when X_3 is C, X_4 is N;

P is selected from aryl and heteroaryl;

if $m = 1$ then R^1 is attached to P via a carbon atom on ring P at the meta-position of the ring P relative to the attachment point of P at X^3 , and if $m = 2$ then R^1 is attached to P via carbon atoms on ring P at the 2-, and 5-positions of the ring P;

R^1 is selected from the group consisting of hydroxy, halo, nitro, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{1-6} alkyl, OC_{1-6} alkyl, C_{2-6} alkenyl, OC_{2-6} alkenyl, C_{2-6} alkynyl, OC_{2-6} alkynyl, C_{0-6} alkyl C_{3-6} cycloalkyl, OC_{0-6} alkyl C_{3-6} cycloalkyl, C_{0-6} alkylaryl, OC_{0-6} alkylaryl, CHO, $(CO)R^5$, $O(CO)R^5$, $O(CO)OR^5$, $O(CNR^5)OR^5$, C_{1-6} alkyl OR^5 , OC_{2-6} alkyl OR^5 , C_{1-6} alkyl $(CO)R^5$, OC_{1-6} alkyl $(CO)R^5$, C_{0-6} alkyl CO_2R^5 , OC_{1-6} alkyl CO_2R^5 , C_{0-6} alkylcyano, OC_{2-6} alkylcyano, C_{0-6} alkyl NR^5R^6 , OC_{2-}

${}_{6}\text{alkylNR}^5\text{R}^6$, $\text{C}_{1-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylSR}^5$, $\text{OC}_{2-6}\text{alkylSR}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO})\text{R}^5$, $\text{OC}_{2-6}\text{alkyl}(\text{SO})\text{R}^5$, $\text{C}_{0-6}\text{alkylSO}_2\text{R}^5$, $\text{OC}_{2-6}\text{alkylSO}_2\text{R}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{SO}_2)\text{NR}^5\text{R}^6$, $(\text{CO})\text{NR}^5\text{R}^6$, $\text{O}(\text{CO})\text{NR}^5\text{R}^6$, NR^5OR^6 , $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{OR}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{CO})\text{OR}^6$, SO_3R^5 and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

X^1 is selected from the group consisting of $\text{C}_{2-3}\text{alkyl}$, $\text{C}_{2-3}\text{alkenyl}$, NR^3 , O, S, CR^3R^4 , SO, SO_2

X^2 is selected from the group consisting of a bond, CR^3R^4 , O, S, NR^3 , SO, SO_2

R^3 and R^4 are independently selected from a group consisting of hydrogen, hydroxy, $\text{C}_{1-6}\text{alkyl}$, $\text{C}_{0-6}\text{alkylcyano}$, oxo, $=\text{NR}^5$, $=\text{NOR}^5$, $\text{C}_{1-4}\text{alkylhalo}$, halo, $\text{C}_{1-4}\text{alkylC}_{3-7}\text{cycloalkyl}$, $\text{C}_{3-7}\text{cycloalkyl}$, $\text{O}(\text{CO})\text{C}_{1-4}\text{alkyl}$, $(\text{CO})\text{C}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $(\text{SO})\text{C}_{0-4}\text{alkyl}$, $(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$ and $\text{C}_{0-4}\text{alkylNR}^5\text{R}^6$;

Q is either selected from triazole, piperazine, and imidazole, or else Q is any other 4-, 5-, 6-, or 7-membered heterocyclic ring containing one or more heteroatoms selected from N, O and S and is fused to a triazole ring;

R^2 is selected from the group consisting of hydroxy, C_{0-6} alkylcyano, $=NR^5$, $=O$, $=NOR^5$, C_{1-4} alkylhalo, halo, C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl, C_{0-6} alkylcycloalkyl, C_{0-6} alkylheterocycloalkyl, OC_{1-4} alkyl, OC_{0-6} alkylaryl, $O(CO)C_{1-4}$ alkyl, $(CO)OC_{1-4}$ alkyl, C_{0-4} alkyl(S) C_{0-4} alkyl, C_{1-4} alkyl(SO) C_{0-4} alkyl, C_{1-4} alkyl(SO₂) C_{0-4} alkyl, (SO) C_{0-4} alkyl, (SO₂) C_{0-4} alkyl, C_{1-4} alkylOR⁵, C_{0-4} alkylNR⁵R⁶ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A; and

any C_{1-6} alkyl, aryl, or heteroaryl defined under R^1 , R^2 and R^3 may be substituted by one or more A; and

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, C_{0-6} alkylcyano, C_{0-4} alkyl C_{3-6} cycloalkyl, C_{1-6} alkyl, $-OC_{1-6}$ alkyl, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{2-6} alkenyl, C_{0-3} alkylaryl, C_{0-6} alkylOR⁵, OC_{2-6} alkylOR⁵, C_{1-6} alkylSR⁵, OC_{2-6} alkylSR⁵, (CO)R⁵, O(CO)R⁵, OC_{2-6} alkylcyano, OC_{1-6} alkylCO₂R⁵, O(CO)OR⁵, OC_{1-6} alkyl(CO)R⁵, C_{1-6} alkyl(CO)R⁵, NR⁵OR⁶, C_{0-6} NR⁵R⁶, OC_{2-6} alkylNR⁵R⁶, C_{0-6} alkyl(CO)NR⁵R⁶, OC_{1-6} alkyl(CO)NR⁵R⁶, OC_{2-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, C_{0-6} alkyl(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)NR⁵R⁶, C_{0-6} alkylNR⁵(SO₂)R⁶, OC_{2-6} alkylNR⁵(SO₂)R⁶, SO₃R⁵, C_{1-6} alkylNR⁵(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO)R⁵, OC_{2-6} alkyl(SO)R⁵ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

R⁵ and R⁶ are independently selected from, H, C₁₋₆alkyl, C₃₋₇cycloalkyl and aryl
and salts and hydrates thereof

m is selected from 1 or 2

p is selected from 0, 1, 2, 3 or 4

or a salt or hydrate thereof;

provided that the compound is not

1-(2-benzothiazolyl)-4-[[5-(5-methyl-2-furanyl)-2H-tetrazol-2-yl]acetyl]-piperazine,

1-(4-acetylphenyl)-4-[[5-(5-methyl-2-furanyl)-2H-tetrazol-2-yl]acetyl]-piperazine, or

5-(5-methyl-2-furanyl)-N-(2-phenyl-2H-benzotriazol-5-yl)-2H-tetrazole-2-acetamide.

2. (Original) A compound according to claim 1 wherein X₃ is N and X₄ is C.
3. (Original) A compound according to claim 1 wherein P is aryl.
4. (Original) A compound according to claim 3 wherein P is phenyl.
5. (Original) A compound according to claim 1 wherein R¹ is selected from halo, C₁₋₆alkyl,
-OC₁₋₆alkyl, C₀₋₆alkylcyano.

6. (Original) A compound according to claim 5 wherein, R^1 is selected from Cl, F, cyano and methyl.
7. (Original) A compound according to claim 1 wherein X^1 is CR^3R^4 .
8. (Original) A compound according to claim 7 wherein X^2 is selected from CR^3R^4 , O, S and NR^3 .
9. (Original) A compound according to claim 1 wherein Q is either selected from triazole and piperazine, or else Q is any other 4-, 5-, 6-, or 7-membered heterocyclic ring containing one or more heteroatoms selected from N, O and S and is fused to a triazole ring.
10. (Original) A compound according to claim 1 wherein Q is triazole.
11. (Original) A compound according to claim 1 wherein X^2 is a bond.
12. (Original) A compound according to claim 1 wherein Q is piperazine.
13. (Original) A compound according to claim 1 wherein Q is a 5-, 6-, or 7-membered heterocyclic ring, other than triazole or piperazine, and is fused to a triazole ring.

14. (Original) A compound according to claim 1 wherein R^2 is selected from the group consisting of C_{1-6} alkyl, C_{1-6} alkylhalo, C_{3-7} cylcoalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl, $O(CO)C_{1-4}$ alkyl.
15. (Original) A compound according to claim 1 wherein R^2 is a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A.
16. (Original) A compound according to claim 1 wherein A is selected from the group consisting of halo, $-OC_{1-6}$ alkyl, $C_{0-6}NR^5R^6$, C_{1-6} alkylhalo.
17. (Original) A compound according to claim 1 selected from:
- Ethyl 4- {[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methyl}piperazine-1-carboxylate,
- 4-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-(2-m-Tolyl-2H-tetrazol-5-ylmethyl)-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(3-Cyano-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,

4-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,

4-[5-({[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methyl}thio)-4-cyclopropyl-4H-1,2,4-triazol-3-yl]pyridine,

4-[5-({1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}thio)-4-cyclopropyl-4H-1,2,4-triazol-3-yl]pyridine,

Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,

4-{5-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethyl}-piperazine-1-carboxylic acid ethyl ester,

4-[4-Cyclopropyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-{4-Cyclopropyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Methyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-tetrazol-2-yl]-benzonitrile,

3-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-tetrazol-2-yl}-benzonitrile

3-{5-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-tetrazol-2-yl}-benzonitrile
4-{4-Cyclopropyl-5-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(4-Cyclopropyl-5-{1-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-(2-m-tolyl-2H-tetrazol-5-ylmethyl)-amine,

Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-amine,

[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-(2-m-tolyl-2H-tetrazol-5-ylmethyl)-amine,

Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-amine,

[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

8-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

3-Pyridin-4-yl-8-(2-m-tolyl-2H-tetrazol-5-ylmethyl)-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

3-Pyridin-4-yl-8-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

8-[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

8-{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

8-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

8-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

8-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

8-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,

4-(5-{[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

4-(5-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

4-[4-Methyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethoxy)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-{4-Methyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethoxy]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-[4-Cyclopropyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethoxy)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-{4-Cyclopropyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(4-Cyclopropyl-5-{1-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{4-Cyclopropyl-5-[2-(3-iodo-phenyl)-2H-tetrazol-5-ylmethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(4-Cyclopropyl-5-{1-[2-(3-iodo-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[5-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxymethyl)-tetrazol-2-yl]-benzonitrile

3-{5-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxy)-ethyl]-tetrazol-2-yl}-benzonitrile,

3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxymethyl)-tetrazol-2-yl]-benzonitrile,

3-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxy)-ethyl]-tetrazol-2-yl}-benzonitrile,

3-(5-{[Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amino]-methyl}-tetrazol-2-yl)-benzonitrile,

3-(5-{1-[Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amino]-ethyl}-tetrazol-2-yl)-benzonitrile,

3-[5-(3-Pyridin-4-yl-6,7-dihydro-5H-[1,2,4]triazolo[4,3-a]pyrimidin-8-ylmethyl)-tetrazol-2-yl]-benzonitrile,

3-{5-[1-(3-Pyridin-4-yl-6,7-dihydro-5H-[1,2,4]triazolo[4,3-a]pyrimidin-8-yl)-ethyl]-tetrazol-2-yl}-benzonitrile,

3-[5-(3-Pyridin-4-yl-4,5,6,7-tetrahydro-1,2,3a,8-tetraaza-azulen-8-ylmethyl)-tetrazol-2-yl]-benzonitrile,

3-{5-[1-(3-Pyridin-4-yl-4,5,6,7-tetrahydro-1,2,3a,8-tetraaza-azulen-8-yl)-ethyl]-tetrazol-2-yl}-benzonitrile,

(R) & (S)-4-(5-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

2-(3-chloro-phenyl)-5-[(triphenyl- \square^5 -phosphanyl)-methyl]-2H-tetrazole hydrobromide,

4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-ethanol,

2-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-1-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-ethanol,

4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[4-Methyl-5-({[2-(3-methylphenyl)-2H-tetrazol-5-yl]methyl}thio)-4H-1,2,4-triazol-3-yl]benzonitrile,

5-({[5-(3,5-Difluorophenyl)-4-ethyl-4H-1,2,4-triazol-3-yl]thio}methyl)-2-(3-methylphenyl)-2H-tetrazole,

3-[4-Methyl-5-({1-[2-(3-methylphenyl)-2H-tetrazol-5-yl]ethyl}thio)-4H-1,2,4-triazol-3-yl]benzonitrile,

5-(1-{[5-(3,5-Difluorophenyl)-4-ethyl-4H-1,2,4-triazol-3-yl]thio}ethyl)-2-(3-methylphenyl)-2H-tetrazole,

6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,
2-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
1-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-4-(3-nitropyridin-2-yl)piperazine,
8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(3,5-difluorophenyl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(4-methoxyphenyl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
3-(2-Chloro-6-methoxypyridin-4-yl)-8-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}-
5,6,7,8-Tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(2-methoxypyridin-4-yl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
8-{[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]methyl}-3-(2-methoxypyridin-4-yl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
3-(5-{[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidine-8(5H)-
yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
3-(2-Methoxypyridin-4-yl)-8-{1-[2-(3-iodophenyl)-2H-tetrazol-5-yl]ethyl}-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,

3-(5-{[3-(2-Methoxypyridin-4-yl)-5,6,7,8-tetrahydro-9H-[1,2,4]triazolo[4,3-a][1,3]diazepin-9-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,

3-(5-{[3-(2,6-Dimethoxypyrimidin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,

(R) 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,

(S) 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,

(R) Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,

(S) Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,

(R) Ethyl 4-{1-[2-(5-chloro-2-fluorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,

(S) Ethyl 4-{1-[2-(5-chloro-2-fluorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,

(R) 6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,

(S) 6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,

(R) 3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,

(S) 3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,
4-(5-{(S)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
2-(3-Chloro-phenyl)-5-{(R)-1-[5-(3,5-difluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yloxy]-ethyl}-2H-tetrazole,
3-(5-{(R)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{2-[5-(3-Chlorophenyl)-2H-tetrazol-2-yl]propyl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
4-(5-{(R)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
2-(3-chlorophenyl)-5-[1-methyl-2-phenylvinyl]-2H-tetrazole, and
2-({1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}thio)-imidazo[4,5-b]pyridine.

18. (Original) A pharmaceutical composition comprising as active ingredient a therapeutically effective amount of the compound according to any one of claims 1 to 17, in association with one or more pharmaceutically acceptable diluents, excipients and/or inert carriers.

19. (CANCELLED)
20. (Currently Amended) The compound according to ~~any one of claims 1 to 17~~ claim 1, for use in therapy.
21. (Currently Amended) The compound according to ~~any one of claims 1 to 17~~ claim 1, for use in treatment of mGluR 5 mediated disorders.
22. (Currently Amended) Use of the compound according to ~~any one of claims 1 to 17~~ claim 1, in the manufacture of a medicament for the treatment of mGluR 5 mediated disorders.
23. (Currently Amended) A method of treatment of mGluR 5 mediated disorders, comprising administering to a mammal, including man in need of such treatment, a therapeutically effective amount of the compound according to ~~any one of claims 1 to 17~~ claim 1.
24. (Original) The method according to claim 23, for use in treatment of neurological disorders.
25. (Original) The method according to claim 23, for use in treatment of psychiatric disorders.

26. (Original) The method according to claim 23, for use in treatment of chronic and acute pain disorders.
27. (Original) The method according to claim 23, for use in treatment of gastrointestinal disorders.
28. (Currently Amended) A method for inhibiting activation of mGluR 5 receptors, comprising treating a cell containing said receptor with an effective amount of the compound according to claim 1-17.